PTO/SB/08a (08-03) proved for use through 07/31/2006. OMB 0651-0031

.proveo for use bringing 07/31/2008 OMB 6651-0931
U.S. Patent and Trademark Office. U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.
Substitute for form 1449AP/TO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT FORM PTO/SB/08a

of

Sheet

1

required to a collection of information unless a contains a valid CMB control number

Complete if Known

Application Number

NEW PATENT APPLICATION

Filling Date

April 14, 2006

First Named Inventor

Daisuke SHINOHIRA et al.

Art Unit

Examiner Name

Attomey Docket Number

107443-00044

				J.S. PATENT D		
Examiner Initials*	Cite No.1	Document Number	Number-Kind Code <sup>2</sup> (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		US-				
		US-				
	,	US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-	1	-		
		US-				1
		US-				
		US-				
		US-				
		US-				
	1	US-				
		US-	1			
		US-				<del></del>
	T-	US-				+
	T	US-				
	$\vdash$	US-				<del></del>
	1	US-		<del>                                     </del>		-

	1	103-						
								_
					IN PATENT I	DOCUMENTS		
Examiner Initials*	Cite No.1	Foreign Patent Document	Country Code <sup>3</sup>	Number <sup>4</sup> Kind Code <sup>5</sup> (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	1
		1-17736	JP		05-23-1989	SMC Corp.		Г
		2000-208175	JP		07-28-2000	Matsushita Electric Works, Ltd.		
		2001-275337	JP		10-05-2001	Sumitomo Heavy Industries, Ltd.		
	├							L
	-							⊦
	ļ							L
	ـــ							L
	1	1	ı	1	ı		1	1

		Date	Examiner
		Considered	Signature
-	~	T COMORGICA	

"EXAMINER: Initial If reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered include copy of this form with next communication to applicant. Unlique citation designation number. "See attached Kinds of U.S. Patient Documents." Enter (Ditse that seasoft the document, by the two-letter cook." For Japanese patient documents, the indication of the year of the riegon in the Empory must get de the serial number of the patient document. "Rind of document by the appropriate symbols as indicated on the comment under VMPO Standard ST. 16 if possible. "Applicant is to place a check mark here if English inarquage substanct is attached. All indicates the only an English language abstanct is attached.